

ISUZU

OLIVA TORRAS
MOUNT & DRIVE KITS

Vehicle model	D-MAX		SERIE - N Euro VI OBD-D LS35 / L35 / N35 M27 / M55 P65 / P75 3.0l		SERIE - N Euro VI OBD-D LS35 / L35 / N35 M27 / M55 P65 / P75 3.0l	
Year	(07/2017>12/2022)		(2022>)		(2021>)	
Engine Type	RZ4E (Euro 6)		Euro VI OBD-E		4JZ1E6N (Euro VI OBD-E)	
CV(kW) @ rpm	164 (121) @ 3.600		150 (110) @ 2.800		150 (110) @ 2.800	
N. of cylinders/cm3	4 / 1.898		4 / 2.999		4 / 2.999	
Volts	12		24V		24V	
Air Conditioning	Vehicles with or without A/C		Only Vehicles with A/C		Only Vehicles with A/C	
Recommended fittings	Suction	Discharge	Suction	Discharge	Suction	Discharge
						
Compressors type	TM 13 / 15 QP 13 / 15 UP-UPF 120 / 150 SD5H14 / SD7H15					
Comments	- "E"=TM / QUE / UNICLA; - Can be fit in right hand drive vehicles - Suitable for vehicles 4x2 and 4x4 - Suitable for automatic gear box		-(*!) High Performance Kit - "E"=TM / QUE / UNICLA - Can be fit in right hand drive vehicles		- "E"=TM / QUE / UNICLA - Can be fit in right hand drive vehicles - Reference J533005727 original ISUZU	
Clutch type	Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley
	Poly-V 8K Ø119 3.150 rpm	Poly-V 8K Ø119 3.150 rpm	Poly-V 8K Ø119 4.329 rpm	Poly-V 8K Ø119 4.329 rpm	Poly-V 8K Ø119 3.294 rpm	Poly-V 8K Ø119 3.294 rpm
Kit No.	**KC17070439**	**KC17070439E**	**KC23070574**	**KC23070574E**	**KC22030544**	**KC22030544E**
Last update	2022-03-24		2023-12-18		2023-09-07	









ISUZU

OLIVA TORRAS
MOUNT & DRIVE KITS

Vehicle model	SERIE - N Euro VI OBD-D LS35 / L35 / N35 M27 / M55 P65 / P75 3.0l		SERIE - N Euro VI OBD-D LS35 / L35 / N35 M27 / M55 P65 / P75 3.0l		SERIE - N Euro VI OBD-D LS35 / L35 / N35 M27 / M55 P65 / P75 3.0l	
Year	(2020>2021)		(2021>)		(2020>2021)	
Engine Type	4JJ1-E6N-D (Euro 6d Temp)		4JZ1-E6N (Euro 6N)		4JJ1-E6N-D (Euro 6d Temp)	
CV(kW) @ rpm	150 (110) @ 2.800		150 (110) @ 2.800		150 (110) @ 2.800	
N. of cylinders/cm3	4 / 2.999		4 / 2.999		4 / 2.999	
Volts	24V		24V		24V	
Air Conditioning	Vehicles with or without A/C		Only Vehicles without A/C		Vehicles with or without A/C	
Recommended fittings	Suction	Discharge	Suction	Discharge	Suction	Discharge
						
Compressors type	TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15		TM 21 QP 21	
Comments	- "E"=TM / QUE / UNICLA - Not available for TM / UP-UPF Poly V 6K Ø119 - ONLY FOR A/C COMPRESSOR ON THE RIGHT HAND SIDE (direction of motion), consult Service Bulletin - Can be fit in right hand drive vehicles		- "E"=TM / QUE / UNICLA - Can be fit in right hand drive vehicles		- "E"=TM / QUE - Can be fit in right hand drive vehicles - For high speed performance option, instead of KC17110448, choose the kit P/N KB20118103:	
Clutch type	Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley	With clutch pulley	
	Poly-V 8K Ø119 3.453 rpm	Poly-V 8K Ø119 3.453 rpm	Poly-V 8K Ø119 3.294 rpm	Poly-V 8K Ø119 3.294 rpm	Poly-V 5K Ø125 3.225 rpm	
Kit No.	**KC14080373**	**KC14080373E**	**KC23030568**	**KC23030568E**	**KC17110448E**	
Last update	2021-03-25		2023-05-04		2021-12-15	

ISUZU

OLIVA TORRAS
MOUNT & DRIVE KITS

Vehicle model	SERIE-N 3,5t M21		SERIE-N 3,5t M21		SERIE-N 3,5t M21		SERIE-N 3,5t M21		SERIE - N Euro 5b+ / Euro6 Série Bleu LS35 / L35 (NLR85A) / N35 (NNR85) M55 (NMR85) P60 (NPR85) / P65 / P75 3.0l (NPR75)	
Year	(06/2020>)		(06/2020>)		(07/2017>06/2020)		(07/2017>06/2020)		(2014-2019)	
Engine Type	RZ4E-TC (Euro 6d-temp)		RZ4E-TC (Euro 6d-temp)		RZ4EE6N-L (Euro 6b-1)		RZ4EE6N-L (Euro 6b-1)		4JJ1-E5L (Euro 5b+) 4JJ1-E6N (Euro 6)	
CV(kW) @ rpm	123 (90) @ 3.200		123 (90) @ 3.200		123 (90) @ 3.200		123 (90) @ 3.200		120 (88) @ 2.800 150 (110) @ 2.800	
N. of cylinders/cm3	4 / 1.898		4 / 1.898		4 / 1.898		4 / 1.898		4 / 2.999	
Volts	12V		12V		12V		12V		24V	
Air Conditioning	Only Vehicles with A/C		Vehicles with or without A/C		Only Vehicles with A/C		Vehicles with or without A/C		Vehicles with or without A/C	
Recommended fittings	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge
										
Compressors type	TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 150 / 170 SD5H14 / SD7H15		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15	
Comments	- "E"=TM / QUE / UNICLA - Can be fit in right hand drive vehicles - Suitable for automatic gear box - ONLY FOR A/C COMPRESSOR ON PASSENGER SIDE, consult Service Bulletin		- "E"=TM / QUE / UNICLA - Can be fit in right hand drive vehicles - Suitable for automatic gear box - ONLY FOR A/C COMPRESSOR ON DRIVER SIDE, consult Service Bulletin		- "E"=TM / QUE / UNICLA - Can be fit in right hand drive vehicles - Suitable for automatic gear box - ONLY FOR A/C COMPRESSOR ON PASSENGER SIDE, consult Service Bulletin		- "E"=TM / QUE / UNICLA - Can be fit in right hand drive vehicles - Suitable for automatic gear box - ONLY FOR A/C COMPRESSOR ON DRIVER SIDE, consult Service Bulletin		- "E"=TM / QUE / UNICLA - Not available for TM / UP-UPF Poly V 6K Ø119 - ONLY FOR A/C COMPRESSOR ON THE RIGHT HAND SIDE (direction of motion), consult Service Bulletin - Can be fit in right hand drive vehicles	
Clutch type	Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley
	Poly-V 8PK Ø119 2.800 rpm	Poly-V 8PK Ø119 2.800 rpm	Poly-V 8PK Ø119 2.800 rpm	Poly-V 8PK Ø119 2.800 rpm	Poly-V 8PK Ø119 2.800 rpm	Poly-V 8PK Ø119 2.800 rpm	Poly-V 8PK Ø119 2.800 rpm	Poly-V 8PK Ø119 2.800 rpm	Poly-V 8K Ø119 3.453 rpm	Poly-V 8K Ø119 3.453 rpm
Kit No.	**KC20070504**	**KC20070504E**	**KC20070503**	**KC20070503E**	**KC17110446**	**KC17110446E**	**KC17080441**	**KC17080441E**	**KC14080373**	**KC14080373E**
Last update	2020-10-16		2020-10-16		2018-02-02		2017-11-14		2016-02-24	

ISUZU

OLIVA TORRAS
MOUNT & DRIVE KITS

Vehicle model	*SERIE - N Euro 5b+ / Euro6 Série Bleu* *LS35 / L35 (NLR85A) / N35 (NNR85)* *M55 (NMR85)* *P60 (NPR85) / P65 / P75 3.0l (NPR75)*		*SERIE - N Euro 5b+ / Euro6 Série Bleu* *LS35 / L35 (NLR85A) / N35 (NNR85)* *M55 (NMR85)* *P60 (NPR85) / P65 / P75 3.0l (NPR75)*		*SERIE - N Euro 5b+ / Euro6 Série Bleu* *LS35 / L35 (NLR85A) / N35 (NNR85)* *M55 (NMR85)* *P60 (NPR85) / P65 / P75 3.0l (NPR75)*	
Year	*(2014>)*		*(2014>)*		*(2014>)*	
Engine Type	*4JJ1-E5L (Euro 5b+)* *4JJ1-E6N (Euro 6)*		*4JJ1-E5L (Euro 5b+)* *4JJ1-E6N (Euro 6)*		*4JJ1-E6N (Euro 6)*	
CV(kW) @ rpm	*120 (88) @ 2.800* *150 (110) @ 2.800*		*120 (88) @ 2.800* *150 (110) @ 2.800*		*150 (110) @ 2.800*	
N. of cylinders/cm3	*4 / 2.999*		*4 / 2.999*		*4 / 2.999*	
Volts	*24V*		*24V*		*24V*	
Air Conditioning	*Only Vehicles with A/C*		*Only Vehicles without A/C*		*Vehicles with or without A/C*	
Recommended fittings	*Suction*	*Discharge*	*Suction*	*Discharge*	*Suction*	*Discharge*
						
Compressors type	*TM 13 / 15 / 16* *QP 13 / 15 / 16* *UP-UPF 120 / 150 / 170* *SD5H14 / SD7H15*		*TM 13 / 15 / 16* *QP 13 / 15 / 16* *UP-UPF 120 / 150 / 170* *SD5H14 / SD7H15*		*TM 21* *QP 21*	
Comments	*- "E"=TM / QUE / UNICLA* *- Not available for TM / UP-UPF Poly V 6K Ø119* *- Can be fit in right hand drive vehicles* *- ONLY FOR A/C COMPRESSOR ON LEFT HAND SIDE (direction of motion), consult Service Bulletin*		*- Can be fit in right hand drive vehicles*		*- "E"=TM / QUE* *- Can be fit in right hand drive vehicles* *- For high speed performance option, instead of KC17110448, choose the kit P/N KB20118103:*	
Clutch type	*Without clutch pulley*	*With clutch pulley*	*Without clutch pulley*		*With clutch pulley*	
	Poly-V Ø119 *3.453 rpm*	*Poly-V 8K Ø119* *3.453 rpm*	*2A Ø135* *2.800 rpm*		*Poly-V 5K Ø125* *3.225 rpm*	
Kit No.	**KC19030483**	**KC19030483E**	**KC19040485**		**KC17110448E**	
Last update	*2019-05-14*		*2019-08-26*		*2017-12-20*	

ISUZU

OLIVA TORRAS
MOUNT & DRIVE KITS

Vehicle model	SERIE - N Euro6 Série Bleu P75 5.2l (NPR75)	SERIE - N Euro6 Série Bleu Q95 5.2l	SERIE F FRR90 - F11 Serie Blue	SERIE F FRR90 - F11 Serie Blue	SERIE F FSR90 - F12 Serie Blue	
Year	(2014>)	(2018>)	(2017>)	(2014>2016)	(2014>)	
Engine Type	4HK1-E6C (Euro6)	4HK1-E6C (Euro6)	4HK1E6S (Euro 6C)	4HK1E6S (Euro 6)	4HK1E6H (Euro 6)	
CV(kW) @ rpm	190 (140) @ 2.600	190 (140) @ 2.600	210 (154) @ 2.400	210 (154) @ 2.400	240 (176) @ 2.400	
N. of cylinders/cm3	4 / 5.193	4 / 5.193	4 / 5.193	4 / 5.193	4 / 5.193	
Volts	24	24	24	24	24	
Air Conditioning	Vehicles with or without A/C	Vehicles with or without A/C	Vehicles with or without A/C	Vehicles with or without A/C	Vehicles with or without A/C	
Recommended fittings	Suction / Discharge	Suction / Discharge	Suction / Discharge	Suction / Discharge	Suction / Discharge	
Compressors type	TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 / SD5L14 / SD7L15	TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 / SD5L14 / SD7L15	TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 / SD5L14 / SD7L15	TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 / SD5L14 / SD7L15	TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 / SD5L14 / SD7L15	
Comments	- Can be fit in right hand drive vehicles	- Can be fit in right hand drive vehicles	- Can be fit in right hand drive vehicles	- Can be fit in right hand drive vehicles - Only suitable for vehicles before year 2017	- Can be fit in right hand drive vehicles	
Clutch type	Without clutch pulley 2A Ø135 3.177 rpm	Without clutch pulley 2A Ø135 3.177 rpm	Without clutch pulley 2A Ø135 2.933 rpm	Without clutch pulley 2A Ø135 2.933 rpm	Without clutch pulley 2A Ø135 2.933 rpm	
Kit No.	**KC09040158**	**KC19040484**	**KC18060462**	**KC14090375**	**KC14070368**	
Last update	2016-04-19	2019-06-25	2018-06-14	2014-11-12	2016-06-14	